




VX730™ gamer headset

QUICK GUIDE
GUÍA RÁPIDA DE USO

VX730™ gamer headset



_01 SPEAKER SPECS

Driver Unit: ø53mm
Impedance: 64±15%Ω
Sensitivity: 112±3dB at 1KHz
Frequency Response: 20-20KHz
Rated Power: 20mW
Cable Length: 0.3m+1m+2m
Plug Type: 1*ø3.5mm/USB

_02 MIC SPECS

Mic Unit: ø6mm
Impedance: ≤2.2KΩ
Directivity: Unidirectional
Sensitivity: -42±3dB at 1KHz
Frequency Response:
100-10KHz

_03 REFERENCES

- 1_ Headband
- 2_ Adjustable armband
- 3_ Earcup
- 4_ Detachable microphone
- 5_ Leather earpad
- 6_ Volume control
- 7_ Virtual 7.1 technology /
EQ switch
- 8_ Mic mute
- 9_ RGB switch
- 10_ USB
- 11_ 1*ø3.5mm

_04 LED LIGHT SETTING MODES REFERENCES

7.1 + EQ

- 1_ **Light off:** Origin
(default mode 2)
- 2_ **Purple light:** 7.1
- 3_ **Blue light:** Game
- 4_ **Red light:** Music
- 5_ **Green light:** Movie

RGB

- 1_ **Single click:** select
color (7 colors)
- 2_ **Double click:**
breathing, total 7 colors
- 3_ **Triple click:** RGB
(default mode)
- 4_ **Long press:** LED
ON/OFF

_01 ESPECIFICACIONES ALTAVOZ

Unidad de diafragma: ø53 mm
Impedancia: $64 \pm 15 \% \Omega$
Sensibilidad: $112 \pm 3 \text{ dB a } 1 \text{ KHz}$
Respuesta en frecuencia: 20 – 20 KHz
Potencia nominal: 20 mW
Longitud del cable: 0,3 m + 1 m + 2 m
Tipo de conector: 1 × ø3,5 mm / USB

_02 ESPECIFICACIONES MIC

Unidad del micrófono: ø6 mm
Impedancia: $\leq 2,2 \text{ K}\Omega$
Directividad: Unidireccional
Sensibilidad: $-42 \pm 3 \text{ dB a } 1 \text{ KHz}$
Respuesta en frecuencia: 100 – 10 KHz

_03 REFERENCIAS

- 1_ Diadema
- 2_ Banda ajustable
- 3_ Auricular
- 4_ Micrófono desmontable
- 5_ Almohadilla de cuero
- 6_ Control de volumen
- 7_ Tecnología virtual 7.1 / Interruptor de ecualizador (EQ)
- 8_ Silenciar micrófono
- 9_ Interruptor RGB
- 10_ USB
- 11_ 1 × ø3,5 mm

_04 LUZ LED MODOS DE CONFIGURACIÓN REFERENCIAS

7.1 + EQ

- 1_ **Luz apagada:** Modo original
- 2_ **Luz púrpura:** 7.1
- 3_ **Luz azul:** Juego
- 4_ **Luz roja:** Música
- 5_ **Luz verde:** Película

RGB

- 1_ **Un solo clic:** seleccionar color (7 colores)
- 2_ **Doble clic:** modo respiración (total 7 colores)
- 3_ **Triple clic:** RGB (modo predeterminado)
- 4_ **Mantener presionado:** Encender/Apagar LED



Thonet & Vander Germany GmbH. All rights reserved. Thonet & Vander®, Deutsche Designtechnik and related trademarks, names and logos are the property of Thonet & Vander Germany GmbH and are registered and/or used in Germany and countries around the world. Other brands and trade names mentioned belong to their respective owners.

Thonet & Vander Germany GmbH. Todos los derechos reservados. Thonet & Vander®, Deutsche Designtechnik y las marcas comerciales, nombres y logotipos relacionados son propiedad de Thonet & Vander Germany GmbH y están registrados y/o utilizados en Alemania y países de todo el mundo. Otras marcas y nombres comerciales mencionados pertenecen a sus respectivos propietarios.



GERMAN
ENGINEERING
& DESIGN



GREEN
SOUND

Thonet & Vander Germany GmbH
Königstorgraben 11, (90402) Nürnberg, Germany.
© All rights reserved
info@thonet-vander.com | www.thonet-vander.com